

Notice of Allowability

Application No.

10/027,776

Examiner

Thuy V. Tran

Applicant(s)

BILLINGS, KEITH

Art Unit

2821

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment submitted 10/18/2004 & Terminal disclaimer filed 04/02/2004.
2. ☒ The allowed claim(s) is/are 1-8.
3. ☒ The drawings filed on 10/18/04 & replacement sheet 04/02/04 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


Thuy Vinh Tran
Primary Examiner
Art Unit: 2821

DETAILED ACTION

This is a response to the Applicant's amendment submitted on October 18th, 2004 and the terminal disclaimer filed on April 2nd, 2004. In virtue of this amendment, claims 1-8 are currently presented in the instant application.

Terminal Disclaimer

1. The terminal disclaimer filed on April 2nd, 2004 disclaiming the terminal portion of any patent granted on this application, which would extend beyond the expiration date of any patent granted on Application Number 10/584,445 or Patent Number 6,366,029 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Allowable Subject Matter

2. Claims 1-8 are allowed.

Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance:

Prior art fails to disclose or fairly suggest, in addition to the terminal disclaimer filed on April 2nd, 2004, a ballast circuit for supplying AC voltage and current to at least one gas discharge lamp mounted in a troffer upon an application of DC voltage and current comprising a transformer including a first and a second primary windings; the first primary winding configured to be coupled across the at least one lamp such that a capacitance at a first end of the at least one lamp relative to the transformer is equal to a capacitance at a second end of the at least one lamp relative to the transformer, so as to reduce the common mode conducted noise, in combination with the remaining claimed limitations as called for in independent claim 1 (claims 2-8 are allowed since they are dependent on claim 1).

Art Unit: 2821


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Inquiry

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thuy V. Tran whose telephone number is (571) 272-1828. The examiner can normally be reached on M-F (8:00 AM -5:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong can be reached on (571) 272-1834. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Thuy V. Tran
Primary Examiner
Art Unit 2821

12/09/2004